

		TOP			CIESS RUFF		
-		· .				M/EB 491/64 20 October 1964 Copy /	·
	MEMORANDUM FOR:	Chief,	Ballisti	c Missil	e and Space Divi	sion, OSI	
	ATTENTION: THROUGH:	Chief,	Requirem	ents Bra	nch, Reconnaissa	nce Group, CGS	
	FROM:	Chief,	CIA/PID	(NPIC)	•		
	SUBJECT:	Photo	Analysis	of the U	lan Ude FLIM FLA	M Tracking Station	
	REFERENCES:	(ъ) с	IA/PID Pr	oject C	-80,659 1397-63		
	4 October 1963 facility locate	requesti ed within	ng a deta the USSF	illed pho	to analysis of ϵ	ach FLIM FLAM track	king e
	107-55-40E, 12. consists of a muldings, two field. Two of	5 nautic main secu small un the buil	al miles red build identifie dings wit	east-nor ling area ed secure thin the	theast of the to a in which there ed areas and a co main secured but	own of Ulan Ude. It are approximately ommunications anten liding area are	45
	can be describe	M/EB 491/64 20 October 1964 Copy/ DUM FOR: Chief, Ballistic Missile and Space Division, OSI ON: Chief, Requirements Branch, Reconnaissance Group, CGS Chief, CIA/PID (NPIC) Photo Analysis of the Ulan Ude FLIM FLAM Tracking Station					

Item A. Tracking Antenna Buildings
Building 1 is approximately 65 by 75 by 25 and Building 2 is
85 by 80 by 25. A dome approximately 60 feet in diameter is positioned on
top of Building 1. Another dome approximately 50 feet in diameter is positioned on the ground near Building 2. These two tracking buildings are
spaced 485 feet apart from center to center. The perpendicular bisector
of a line joining the two buildings lies on an azimuth of 130/310 degrees.
The buildings, although parallel to one another, are offset from a perpendicular to a line passing through the two buildings.



n seekii eiics nu

5-14556

25X1 25X1

25X1

25**X**1

25X1

25**X**1

25**X**1

TOP STORTE SHESS NUTE

SUBJECT: Photo Analysis of the Ulan Ude FLIM FLAM Tracking Station

M/EB 491/64

Item B. Communication Antennas

There are approximately nine probable fishbone receiving antennas located on the east side of the main secured area. The scale and quality of the photography precludes obtaining the dimensions of the antennas; however, the general antenna orientations will be submitted to you under a separate memorandum covering all the HF communication facilities associated with the FLIM FLAM tracking facilities.

Item C. A pair of masts are located approximately 840 feet southwest of Tracking Building 2 within a separately secured area.

 ${\overline{ \mbox{Item D.}}}$ An excavation approximately 650 feet long is located south of the main secured building area.

 $\underline{\text{Item E.}}$ An unidentified secured area is connected to the main secured building area by a probable cable line.

The following is a chronological listing of KEYHOLE photographic missions over Ulan Ude. What can be observed on each mission is so indicated.

Observation

Haze and cloud cover precludes interpretation.

Clear but of poor quality. Tracking buildings observed. Main secured building area contains approximately 25 buildings. Areas C and E observed. Possible clearing for communications field.

Cloud cover precludes interpretation.

Haze. No apparent change.

Poor quality. No apparent change.

Haze, identification only.

Cloud cover precludes interpretation.

Clear. Main secured building area expanded with 10-15 new buildings. Communication field expanded. Approximately five probable fishbone antennas can be identified. Dome appears on Building 1.

2

5-14556

25**X**1 25**X**1

25**X**1

25X1

25X1 25X1

	TOP SERVEY CHIES RU	j.	•
	nalysis of the Ulan Ude FLIM FLAM ing Station	м/ЕВ 491/64	
	Observation	•	**************************************
	Clear. Possible antenna observed in Area C. expanded with approximately for antennas identified. No other	Communications field ir additional fishbone	2.
	Clear. No change apparent.		
	Clear. No change apparent.		
	Haze and scattered clouds. No	change observed.	
	Clear. Dome appears on ground	next to Building 2.	
timing cannot be is that a dome wa	until February 1964; therefore, the addetermined for these items. What can s present on the roof of Building l in was present on Building 2 in June 1961	be determined; however n February 1964; a 4: a dome was placed	,
timing cannot be is that a dome wa possible antenna on the ground nex	determined for these items. What can spresent on the roof of Building lin	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi-	,
timing cannot be is that a dome wa possible antenna on the ground nex	determined for these items. What can s present on the roof of Building l in was present on Building 2 in June 1961 t to Building 2 between August and Sen	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi-	,
timing cannot be is that a dome wa possible antenna on the ground nex	determined for these items. What can s present on the roof of Building l in was present on Building 2 in June 1961 t to Building 2 between August and Sen	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi-	,
timing cannot be is that a dome wa possible antenna on the ground nex	determined for these items. What can s present on the roof of Building l in was present on Building 2 in June 1961 t to Building 2 between August and Sen	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi-	,
timing cannot be is that a dome wa possible antenna on the ground nex	determined for these items. What can s present on the roof of Building l in was present on Building 2 in June 1961 t to Building 2 between August and Sen	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi-	,
timing cannot be is that a dome wa possible antenna on the ground nex	determined for these items. What can s present on the roof of Building l in was present on Building 2 in June 1961 t to Building 2 between August and Sen	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi-	,
timing cannot be is that a dome wa possible antenna on the ground nex	determined for these items. What can s present on the roof of Building l in was present on Building 2 in June 1961 t to Building 2 between August and Sen	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi-	,
timing cannot be is that a dome wa possible antenna on the ground nex	determined for these items. What can s present on the roof of Building l in was present on Building 2 in June 1961 t to Building 2 between August and Sen	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi-	,
timing cannot be is that a dome wa possible antenna on the ground nex	determined for these items. What can s present on the roof of Building l in was present on Building 2 in June 1961 t to Building 2 between August and Sen	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi-	,
timing cannot be is that a dome wa possible antenna on the ground nex tional communicat	determined for these items. What can s present on the roof of Building l in was present on Building 2 in June 1961 t to Building 2 between August and Sen	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi- ary 1964 and June 1964.	,
timing cannot be is that a dome wa possible antenna on the ground nex tional communicat	determined for these items. What can s present on the roof of Building 1 in was present on Building 2 in June 1960 to Building 2 between August and Seminantennas were added between February	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi- ary 1964 and June 1964.	,
timing cannot be is that a dome wa possible antenna on the ground nex tional communicat	determined for these items. What can s present on the roof of Building 1 in was present on Building 2 in June 1960 to Building 2 between August and Selion antennas were added between February and Selion are successful to Building 2 between August and Selion antennas were added between February and Selion are successful to Building 2 b	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi- ary 1964 and June 1964.	,
timing cannot be is that a dome wa possible antenna on the ground nex tional communicat	determined for these items. What can s present on the roof of Building 1 in was present on Building 2 in June 1960 to Building 2 between August and Selion antennas were added between February and Selion are successful to Building 2 between August and Selion antennas were added between February and Selion are successful to Building 2 b	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi- ary 1964 and June 1964.	,
timing cannot be is that a dome wa possible antenna on the ground nex tional communicat	determined for these items. What can s present on the roof of Building 1 in was present on Building 2 in June 1960 to Building 2 between August and Selion antennas were added between February and Selion are successful to Building 2 between August and Selion antennas were added between February and Selion are successful to Building 2 b	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi- ary 1964 and June 1964.	,
timing cannot be is that a dome wa possible antenna on the ground nex tional communicat	determined for these items. What can s present on the roof of Building 1 in was present on Building 2 in June 1960 to Building 2 between August and Selion antennas were added between February and Selion are successful to Building 2 between August and Selion antennas were added between February and Selion are successful to Building 2 b	be determined; however n February 1964; a 4; a dome was placed ptember 1964; and addi- ary 1964 and June 1964.	,

Declassified in Part - Sanitized Copy Approved for Release 2012/06/13 : CIA-RDP78T05439A000400160055-4

5-14556

		10 2 573757	SINSS NU		
	SUBJECT:	Photo Analysis of the Ula Tracking Station	an Ude FLIM FLAM	M/EB 491/64	,
	-	·			
	4.	This project is not consi	dered to		
			*		
	Enclosure 1 - One	s: (1) line drawing			
	2 - One ((1) line drawing CIA/PID/MEB-P-899/64) (1) photo CIA/PID/MEB-P-900/64)			
•					
			₩		
management of the second of th		ě		•	
			: 	1	
•					
	1		et e		•
					· .
		TOP STORY	STATES RUFF		

25X1 25X1

25**X**1

25X1

25**X**1

25**X**1

5-14556

25X1

25X1₁



25**X**

25X1